

CITY OF PHILADELPHIA  
DEPARTMENT OF STREETS

---

R E G U L A T I O N S

GOVERNING APPLICATIONS FOR THE INSTALLATION OF CURB OR  
SIDEWALK PIPE POSTS ON PAVED SIDEWALKS

---

Written applications for permits shall be submitted to the Contract and Permit Unit, Department of Streets, Room 1012 City Hall Annex.

Four copies of a plan showing the locations of the proposed posts, drawn to scale of 1/8-inch - 1 foot, on paper 8½ x 11 inches in size or multiples of same shall be filed with the application.

These pipe posts shall be installed in accordance with Section 11-604 of The Philadelphia Code, as amended by Ordinance of City Council approved February 13, 1963.

The installation of pipe posts may be permitted on paved footways of any street at locations to be approved by the Department of Streets. Such intallations may be made provided such posts:

- (a) extend 42 inches above the footway grade, and 2 feet below such grades;
- (b) are centered not more than 10 feet apart;
- (c) are centered on a line parallel with the curb lines 18 inches back of the face of the curb;
- (d) have an inside diameter of six inches, are filled with concrete and have a metal cap;
- (e) are not set within 2 feet of any inlet or manhole.

The pipe posts shall conform to the design and specifications of the Department of Streets.

The posts shall be painted a primer coat of ready mixed red lead and one finish coat of ready mixed standard aluminum paint.